

# **EAGLE 5**

## **(F3B)**



### ***SPECIFICATIONS***

WING AREA: 23.5dm<sup>2</sup>

LENGTH: 950MM


WING SPAN: 1700MM




### ***HOBBY SQUADRON LTD.***

N0.209, Jinghe E.St., Beitun District,  
Taichung City 40642, Taiwan (R.O.C.)  
TEL: 886-4-24380007 FAX: 886-4-24377500  
<http://www.ty1.com.tw> E-mail: [service@ty1.com.tw](mailto:service@ty1.com.tw)

## EAGLE 5 KIT CONTENT



- |                            |                              |
|----------------------------|------------------------------|
| 1. WING - 1                | 8. MOTOR MOUNT - 1           |
| 2. FUSLAGE - 1             | 9. ELEVATOR HORN - 1         |
| 3. STABILIZER - 1          | 10. ELEVATOR SERVO COVER - 1 |
| 4. AILERON HORN - 2        | 11. AILERON SERVO COVER - 2  |
| 5. 3 x 16 MM CAP SCREW - 2 | 12. ELEVATOR PUSH ROD - 1    |
| 6. 3 x 10 MM SCREW - 2     | 13. AILERON PUSH ROD - 2     |
| 7. 3 x 12 MM SCREW - 1     |                              |






### **Other parts to complete this airplane ( need to purchase separately.)**

BRUSHLESS MOTOR  
BATTERY  
SPEED CONTROLLER - 50 AMPS (#9515)  
PROPELLER- 12 x 8 FLOODING PROPELLER (#7639)  
RADIO - 4 CHANNEL 3 SERVO + ESC


Side thrust : 0 degree  
Down thrust : 0 degree

Wrap the servo with shrink tube and glue it to servo mount section with silicone glue.








**Screw the brass aileron horn into the pre-drilled hole on aileron and glue it with super glue.**



AILERON THROW



ELEVATOR THROW



CG:65MM FROM WING LEADING EDGE.



**Refer to the drawings for elevator servo push rod installation.**

